CLIMATE VULNERABILITY MONITOR







COUNTRY PROFILE







THE MONITOR ASSESSMENT

The Climate Vulnerability Monitor provides a comprehensive national-level assessment of vulnerabilities and impact specifically related to contemporary climate change and carbon intensiveness. This 2012 Monitor assessment was commissioned by the Climate Vulnerable Forum and has been independently developed by DARA. It is grounded in leading and up-to-date scientific studies, research and data assimilated on the basis of an externally reviewed methodology. The assessment spans 34 indicators of impact/vulnerability: 22 for climate change ("Climate") and 12 for carbon intensiveness ("Carbon"). Estimates in human, economic and environmental terms are for 2010 and 2030. Vulnerability at country-level and by indicator is comparative to the 184 countries included in the assessment.

→ For the full report, data & additional info: www.daraint.org/cvm2 - cvm@daraint.org - +34 915310372



ECONOMIC NATIONAL LOSS TOTALS: BANGLADESH

ADDITIONAL ECONOMIC COSTS (NEGATIVE NUMBERS SHOW POSITIVE EFFECTS) - YEARLY AVERAGE

CLIMAIE CHANGE

2010 **2.8%**_{GDP} 2030 **6.8%**_{GDB}

CARBON INTENSIVENESS

2010 **0.9%**_{GDP} 2030 **0.5%**_{GDB}



HUMAN NATIONAL LOSS TOTALS: BANGLADESH

ADDITIONAL HUMAN IMPACTS (NEGATIVE NUMBERS SHOW POSITIVE EFFECTS) - YEARLY AVERAGE

ADDITIONAL MORTALITY-YEARLY AVERAGE

CLIMATE +CARBON

2010 100,000

2030 150,000

CLIMATE

🕽 CARBON

ADDITIONAL

ADDITIONAL PERSONS AFFECTED-YEARLY AVERAGE 2010

2030 50,350,000

43,200,000

2010 3,350,000 2030 4,400,000

FULL COUNTRY ASSESSMENT: BANGLADESH

			ADDITIONAL VULNERABILITY ECONOMIC COSTS ADDITIONA LEVEL (MILLION USD PPP) MORTALIT			ADDIT AFFE POPULATI	CTFD	OTHER VALUE 1*		OTHER VALUE 2*							
			2010 2030	2010	2030	2010	2030	2010	2030	2010	2030	2010	2030	_			
		ENVIRONMENTAL DISASTERS												VULNERABII			
	_	DROUGHT	+ -	15	75									+ Acute+	+ High+		
		FLOODS AND LANDSLIDES	+ +	300	2,750	75	100	600	900					- Acute-	- High-		
	(A)	STORMS	+ +	150	1,250	1,750	2,500	400	600					+ Severe+	Mode	rato	
		WILDFIRES												_		die	
		TOTAL		465	4,075	1,825	2,600	1,000	1,500					- Severe-	Low		
		HABITAT CHANGE															
		BIODIVERSITY		20	150					-100	-250	150	500	+ = Upper tie	of vulnerability	j level	
CLIMATE	_	DESERTIFICATION		5	20			150	400	150	300			- = Lower tie	of vulnerability	j level	
		HEATING AND COOLING		45	650					950	3,500	550	2,000				
		LABOUR PRODUCTIVITY	+ -	3,500	30,000					44	34			A Fovironm	ental disasters		
		PERMAFROST		4.050							450			~			
		SEA-LEVEL RISE		1,250	20,000			40	45	200	450			Habitat change			
		WATER		-25	-200			400	445	-1	-1			, W Health im	pact		
	l i	TOTAL		4,795	50,620			190	445					(V) Industru stress			
		HEALTH IMPACT DIARRHEAL INFECTIONS				1.250	2.250	1						· Mildustry's	(1633		
	_	HEAT AND COLD ILLNESSES	+ -			1,750	2,230	'						A		. 1. 2121	
	lacksquare	HUNGER	T -			9,750	15,000	10	15							mpact/Vulnerability o Climate Change	
		MALARIA AND VECTOR-BORNE				3,730	45	10	15					_			
		MENINGITIS				600	800	0	1							npact/Vulnerability	
		TOTAL				13,350	20,095	12	31					to Carbon Inter		siveness	
	1 1	INDUSTRY STRESS				10,000	20,000	12	01								
	%	AGRICULTURE	+ +	650	5,500										OTHER VALUE 1	OTHER VALUE 2	
		FISHERIES		500	7.750											VALUE 2	
		FORESTRY			-1										Contraction of biological	Decline in	
		HYDRO ENERGY		-1	-20									BIODIVERSITY	zones (km²)	biological richness	
		TOURISM													(cumulative)	TICHHESS	
		TRANSPORT												DESERTI-	Additional land		
	'	TOTAL		1,149	13,230									FICATION	degraded (km²) (cumulative)		
		CLIMATE TOTAL		6,409	67,924	15,175	22,695	1,202	1,976								
		ENVIRONMENTAL DISASTERS												HEATING & COOLING	Change in energical (GWh)	9 y	
CARBON		ENVIRONMENTAL DISASTERS													Charact.		
		OIL SANDS OIL SPILLS												LABOUR	Share of workforce		
	_	TOTAL		0	0									PRODUCTIVITY	particularly		
	lι	HABITAT CHANGE		U	U										affected (%)		
		BIODIVERSITY		55	400					550	1,500			SEA-LEVEL	Net loss of land (km²)		
		CORROSION	+ -	5	25					000	1,000			RISE	(cumulative)		
		WATER		1	10					400	550				Loss in water		
		TOTAL		61	435					100	000			WATER	runoff 2030		
	1 1	HEALTH IMPACT													(km³)		
		AIR POLLUTION	- +			9,500	20,000	200	700					OIL SANDS	Tonnes toxic		
	•	INDOOR SMOKE				90,000	95,000	3,000	3,500					012 07 11 120	waste (1000s)		
		OCCUPATIONAL HAZARDS	- +			1,000	2,000	150	200						Gallons oil		
		SKIN CANCER				85	200	0	0					OIL SPILLS	spill (1000s)		
	!	TOTAL				100585	117200	3350	4400								
		INDUSTRY STRESS												BIODIVERSITY	Decline in		
	No.	AGRICULTURE		-85	-3,500										biological richne	ess	
		FISHERIES	- +	65	300									Volume of			
		FORESTRY		10	55									WATER	water to treat (millions m³)		
	' '	TOTAL		-10	-3145										(ITIMOTIS ITIT)		
		CARBON TOTAL		51	-2,710	100,585	117,200	3,350	4,400								